

INDEX TO VOLUME XXXII.

[New generic, specific, and subspecific names are printed in **heavy-face type**.]

- ACANTHIS** *cannabina* *fringillirostris*, 287.
Acanthiza *marianæ*, 526.
Accipiter *cinereus*, 484.
 eudiabulus, 125.
 fasciatus polycryptus, 384.
 gentilis albidus, 484.
 g. schvedowi, 484.
 hiogaster rooki, 129.
 novæ hollandiæ, 484.
 striatus venator, 128.
 torquatus buruensis, 120.
Acrocephalus *strepera strepera*, 284.
Actitis *macularia*, 227, 368, 464.
Æchmophorus *occidentalis*, 461.
Ægialitis *homeyeri*, 524.
 meloda, 97, 500.
 nivosa, 465.
 semipalmata, 97, 302, 465.
Æstrelata *arminjoniana*, 342.
 chionophora, 342.
 trinitatis, 342.
 alba, 342.
 mollis, 342.
 wilsoni, 342.
Æthia, 526.
Æthomyias *nigrifrons*, 260.
Agathopsis *micropterus*, 418.
Agelaius *phœniceus aciculatus*, 256.
 phœniceus floridanus, 21.
 p. fortis, 448.
 p. phœniceus, 21.
Agriocharis *ocellata*, 167, 250.
Agrobates *galocototes galocototes*, 284.
Aix sponsa, 108, 463.
Ajaja ajaja, 167.
Alabama, birds of, 213-215.
 Alaska, birds of, 114, 295-305.
 Albatross, Black-footed, 300.
 Alcedo *ispida pallida*, 282.
 Aleyone *richardsi bougainvillei*, 125.
 aolæ, 125.
 Alectroenas, 259.
 Allen, Arthur A., review of his 'Birds in their Relation to Agriculture in New York State,' 251.
 Allen, Francis H., the status of the Song Sparrow and the Chipping Sparrow as early birds, 110; a near view of an Iceland Gull, 495.
 Alphagygis, 127.
 Amazona *vittata gracilipes*, 529.
 American Ornithologists' Union, proposed revision of the By-Laws, 134; San Francisco meeting of the, 140, 271, 388; thirty-third stated meeting of the, 488-493.
 Amizilis *rutila rutila*, 167.
 yucatanensis yucatanensis, 169.
 Ammodramus *savannarum australis*, 25.
 Ammomanes *deserti katherinæ*, 286.
 Ammoperdix *heyi*, 279.
 Amydrus *tristrami tristrami*, 289.
 Anas *fulvigula maculosa*, 318.
 platyrhynchos, 96, 462.
 Andigina *nigrirostris occidentalis*, 515.
 Andropadus *ugandæ*, 524.
 Anhinga, 165.
 Anous *stolidus*, 48, 345.
 melanogenys, 48.
 Anser *albifrons gambeli*, 463.
 Anthoscopus *caroli hellm yri*, 130.

- Anthreptes collaris garguensis*, 251.
Anthus campestris campestris, 286.
 daviesi, 130.
 rubescens, 191.
 spraguei, 191, 239.
 trivialis, 286.
Antrostomus carolinensis, 15.
 vociferus vociferus, 15.
Anumbius, 146, 148.
Apalis nigriceps collaris, 524.
Aphanapteryx broekii, 523.
Aptenodytes forsteri, 373.
 patachonica, 514.
Apus apus apus, 283.
 murinus murinus, 283.
Aquila antiqua, 375.
Ara militaris mexicana, 529.
Araucæ, 152.
Aramides cajanea venezuelensis,
 374.
 c. peruviana, 374.
Aramus vociferus, 517.
Archilochus colubris, 17.
Ardea herodias adoxa, 484.
 h. fannini, 302, 464.
 h. occidentalis, 484.
 h. repens, 484.
 h. wardi, 483.
 repens, 483.
 rufa mutata, 483.
 occidentalis, 483.
 würdemanni, 483.
Arenaria interpres, 48.
 morinella, 465.
 melanocephala, 465.
Arkansas, birds of, 362.
Armstrong, F. B., obituary of,
 541.
Arremonops verticalis, 168.
Asarcia spinosa, 167.
Asio flammeus bogotensis, 515.
Astragalinus tristis tristis, 24, 238.
Astur brevipes, 282.
Asturina plagiata, 167.
Atlapetes gutturalis brunescens,
 515.
 'Auk' review of ornithological liter-
 ature, 269; vignette, 144.
 'Auk,' Index, full names of authors
 in, 143; review of, 242.
Auklet, Cassin's, 297.
 Rhinoceros, 297.
Auriparus flaviceps lamprocephalus, 106.
 'Austral Avian Record,' review, of
 127, 259, 526.
Australia, birds of, 376, 512.
Avicultural magazine, review of,
 126, 259, 380, 525.
BÆOLORHUS bicolor, 193, 331.
Bagg, Egbert, obituary of, 540.
Bailey, Florence M., review of her
 'Handbook of Birds of the West-
 ern United States, Fourth Edi-
 tion,' 115.
Bailey, H. H., proposed revision of
 the By-Laws of the American
 Ornithologists' Union, 134.
Bailey, S. Waldo, the Plum Island
 Night Herons, 424-441.
Baily, Wm. L., young Kingbirds on
 a cherry and dragonfly diet, 368.
Baird, Spencer F., notice of biog-
 raphy of, 505.
Baldpate, 225, 462.
Bangs, Outram, Cabot's types of
 Yucatan birds, 166-170; the
 Bermuda Crow, 229; notes on
 dichromatic herons and hawks,
 481-484.
Bannermania, 524.
Barbatula leucolema urungensis,
 528.
Bartramia longicauda, 448.
Batara, 150.
Bavarian Ornithological Society,
 notice of 'Proceedings,' 382.
Baynes, Ernest Harold, review of
 his 'Wild Bird Guests. How to
 Entertain Them,' 507.
Beal, F. E. L., review of his 'Food

- of the Robins and Bluebirds of the United States,' 252.
- Bee-eater, European, 282.
- Bell, E. Gordon, Starlings (*Sturnus vulgaris*) in New Hampshire, 496.
- Bent, A. C., Yellow-billed Loon (*Gavia adamsi*) in Colorado: a correction, 494.
- 'Berajah,' review of, 381.
- Bergtold, W. H., the Yellow-crowned Night Heron in Colorado, a correction, 97; time of incubation, 134; the Indigo Bunting in Colorado, 498; Black-throated Blue Warbler in Colorado, 498.
- Berlepsch, Graf Hans von, obituary of, 539.
- Bermuda, birds of, 229.
- Betts, Norman deW., notes from Wisconsin, 237.
- 'Bird-Lore,' review of, 123, 256, 378, 521.
- 'Bird Notes,' review of, 127, 259, 381.
- 'Bird Notes and News', notice of, 118, 381.
- Bird protection, notice of publications on, 377.
- Bittern, 237.
American, 497.
Cory's Least, 98, 482.
Least, 319, 482.
- Blackbird, Brewer's, 23, 503.
Red-winged, 21, 160, 163, 178, 438.
Rusty, 23.
Yellow-headed, 21, 107.
- Black-cap, 285.
- Blackstart, Palestine, 284.
- Bleda exima ugandæ, 524.
- Bluebird, 2, 194.
- 'Blue-Bird,' review of, 124, 257.
- Blue Jay, Florida, 163.
- Bobolink, 21, 101.
- Bob-white, 321.
- Bombycilla cedrorum, 184, 232.
garrula, 369.
g. centralasiæ, 527.
- Bonasa umbellus umbellus, 238.
- Bo'sun Bird, 46.
- Botauroides parvus, 375.
- Botaurus lentiginosus, 97, 237.
- Bowles, J. H., European Widgeon in Washington, 225.
- Brachyramphus, 379.
marmoratus, 299, 463.
- Bradornis pallidus tessmanni, 261.
- Braislin, Wm. C., the American Bittern on Long Island, N. Y., 97.
- Brant, Black, 463.
- Branta canadensis canadensis, 448.
c. hutchinsi, 449, 457.
c. minima, 449, 463.
c. occidentalis, 449, 459.
nigricans, 452, 463.
- Brazil, birds of, 41-50, 332-348, 518.
- 'British Birds,' review of, 125, 258, 380, 525.
- British Columbia, birds of, 107.
- British Ornithologists' Club, review of 'Bulletin,' 125, 257, 380.
- B. O. U. List, review of, 243.
- Brooks, W. Sprague, the Blue Goose (*Chen caerulescens* (Linn.)) in Rhode Island, 226.
- Brown, Nathan Clifford, the Evening Grosbeak at Portland, Maine, 102; the records of the Tennessee and Cape May Warblers in southern Maine, 104; addendum, 234.
- Brush Hill Bird Club, notice of first report of, 255.
- Buarremon matucanensis, 125.
- Bubo bubo ussuriensis, 26.
virginianus neochorus, 128.
v. saturatus, 303.
v. virginianus, 228.
- Buccanodon leucogrammicum, 528.
- Budytes flava flava, 286.
melanocephala, 286.

- Buffle-head, 458.
 Bulbul, Palestine, 283.
 Bulweria bulweri pacifica, 524.
 Bunting, Black-headed, 288.
 Cretzschmar's, 288.
 Indigo, 28, 498.
 Lark, 107.
 Ortolan, 288.
 Painted, 28, 329.
 Burns, Frank L., the Red-throated
 Loon (*Gavia stellata*) at Berwyn,
 Pa., 225; occurrence of the
 Pectoral Sandpiper (*Pisobia mac-
 ulata*) near Salem, N. J., 226;
 the Cape May Warbler (*Dendroica
 tigrina*) as an abundant au-
 tumnal migrant and as a de-
 structive grape juice consumer
 at Berwyn, Pa., 231; review of
 his 'Comparative Periods of
 Deposition and Incubation of
 Some North American Birds,' 516.
 Burrill, A. C., what bird lovers owe
 to the late Professor King, 239.
 Buteo borealis borealis, 447.
 b. calurus, 167.
 lineatus lineatus, 100.
 l. texanus, 322.
 Butorides brunnescens, 481.
 virescens, 481.
 v. cubanus, 482, 484.
 v. brunnescens, 482, 484
 v. virescens, 481.
 Buzzard, Black, 11.
 Turkey, 2, 4, 10, 11.
 CACATUA galerita, 263.
 gymnopsis, 384.
 Caccabis chukar synaica, 279.
 Cacomantis blandus, 129.
 Cahn, A. R., Notes on a captive
 Virginia Rail, 91-95; LeConte's
 Sparrow in Wisconsin, 497.
 Calamospiza melanocorys, 107.
 Calandra brachydactyla brachy-
 dactyla, 286.
 Calcarius lapponicus alascensis, 457,
 458.
 l. lapponicus, 447.
 pictus, 457, 458.
 Calidris leucophaea, 97, 464.
 California, birds of, 59.
 'California Fish and Game,' notice
 of, 255.
 Callisitta azurea expectata, 258.
 Calonectris, 524.
 Camaroptera caniceps, 260.
 Cameron, E. S., obituary of, 540.
 Campephaga quiscalina münzneri,
 528.
 Campylorhynchus, 147, 148, 150.
 trochilrostris, 151.
 Canada, birds of, 61, 442-459.
 Canary, Syrian, 288.
 Canvas-back, 237, 463.
 Caprimulgus europæus meridionalis,
 282.
 hirundinaceus crissalis, 374.
 houyi, 528.
 macrurus, 513.
 m. mesophanis, 513.
 m. anamesus, 513.
 Caracara, Audubon's, 2, 100.
 Cardinal, 27, 328.
 Florida, 160, 163.
 Cardinalis cardinalis cardinalis, 27,
 328.
 c. magnirostris, 328.
 Carduelis carduelis carduelis, 287.
 c. major, 381.
 Carpodacus erythrinus kubanensis,
 382.
 mexicanus frontalis, 383.
 purpureus purpureus, 24, 447.
 synoicus, 288.
 s. petræ, 288.
 Carpodectes, 128.
 Carpospiza brachydactyla, 287.
 'Cassinia 1914,' review of, 376.
 Casuarius papuanus goodfellowi,
 125.
 Catbird, 3, 10, 500.

- Catoptrophorus semipalmatus inornatus*, 464.
- Centropus pygma*, 130.
 senegalensis tschadensis, 260.
 superciliosus loandae, 258.
 s. sokotra, 258.
 grilli wahlbergi, 380.
- Centurus carolinus*, 238.
 dubius dubius, 168.
- Cephus columba*, 299, 461.
- Cerchneis sparveria andina*, 516.
 s. caucæ, 515.
 s. distincta, 374.
 s. fernandensis, 515.
 s. intermedia, 516.
 s. margaritensis, 374.
 s. ochracea, 374.
 s. perplexa, 516.
 s. peruviana, 374.
 tinnunculus, 282.
- Cercomela melanura melanura*, 284.
- Ceriornis caboti*, 170.
- Cerorhinca monocerata*, 297.
- Certhia familiaris americana*, 192, 505.
- Certhiola caboti*, 170.
- Ceryle alcyon alcyon*, 324.
 a. caurina, 303.
- Ceyx solitaria mulcata*, 257.
- Chamepelia passerina passerina*, 322.
 rufipennis caucæ, 515.
- Chaetura pelagica*, 16.
- Chalcomitra senegalensis atra*, 251.
 adamanæ, 260.
 tanganjicæ, 260.
- Chalcopelia afra kilimensis*, 251.
 chalcopsila intensa, 251.
 c. media, 251.
- Chapman, F. M., the more northern species of the genus *Scytalopus* Gould, 406-423; review of his 'Diagnosis of Apparently New Colombian Birds. III,' 114; review of his 'Descriptions of Proposed New Birds from Central and South America,' 515.
- Charadrius alexandrinus seebohmii*, 524.
 dominicus, 47.
- Charitonetta albeola*, 463.
- Chat, Hooded, 284.
 Pied, 284.
 White-rumped, 284.
 Yellow-breasted, 191, 330.
- Chaulelasmus streperus*, 462.
- Chelidon*, 524.
 rustica rustica, 283.
 r. transitiva, 283.
 daurica rufula, 283.
- Chen caerulescens*, 226.
 hyperboreus hyperboreus, 367, 463.
 rossi, 449.
- Chersophilus duponti*, 384.
- Chestnut blight, birds as carriers of, 378.
- Chickadee, 3, 202-203.
 Carolina, 193, 498.
 Chestnut-backed, 305.
 Hudsonian, 501.
- Chicken, Atwater's Prairie, 322.
- Chiff Chaff, 285.
- Chionis minor*, 524.
- Chloris chloris chlorotica*, 287.
- Chlorocichla gracilirostris chagwensis*, 524.
 indicator chlorosaturata, 524.
- Chlorocnas inornata exsul*, 529.
- Chloronerpes rubiginosus buenavistæ*, 515.
 r. yucatanicus, 168.
- Chlorophoneus münzneri*, 528.
 olivaceus taylori, 130.
- Chlorostilbon canivetii canivetii*, 167.
- Chondestes grammacus grammacus*, 26.
- Chordeiles virginianus chapmani*, 16, 325.
 v. virginianus, 15, 447.

- Chrysoptilus punctigula zuliae*, 516.
 Chuck-will's-widow, 15, 159.
Cinclodes, 148, 149.
Cinnyris hofmanni, 528.
 mediocris garguensis, 251.
 novaguineae, 129.
 osea, 286.
 reichenowi kikuyensis, 251.
 venusta blicki, 251.
 zenobia marginata, 130.
Cistothorus stellaris, 192.
Clangula clangula americana, 463.
 islandica, 225.
Cleptornis palauensis, 260.
 Coale, H. K., the present status of the Trumpeter Swan (*Olor buccinator*), 82-90; San Lucas Verdin in Arizona, 106.
Coccyzus americanus americanus, 324.
 minor palloris, 529.
 m. rileyi, 529.
Cœreba caboti, 170.
Colaptes auratus auratus, 325.
 a. luteus, 232, 448.
Colinus eatoni, 375.
 virginianus floridanus, 207.
 v. virginianus, 204-207, 321.
 v. taylori, 530.
Colius striatus jebelensis, 251.
 Collinge, W. E., review of his 'Some Observations on the Food of Nestling Sparrows,' and his 'Economic Importance of British Wild Birds,' 254.
Collocalia esculenta maxima, 258.
 stresemanni, 129.
 hirundinacea excelsa, 258.
 nitens, 258.
Colluricincla brunnea tachycripta, 384.
 Colombia, birds of, 114.
 Colorado, birds of, 97, 358, 494, 498.
Columba domestica, 306-316.
 flavirostris, 167.
 leucocephala, 167.
Columba livia schimperi, 281.
 plumbea propinqua, 374.
 rufina andersoni, 374.
 r. tobagensis, 374.
 subvinacea peninsularis, 515.
 s. zulliae, 374.
Colymbus, 525.
 dominicus brachypterus, 167.
 holboëlli, 461.
 nigricollis californicus, 461.
 oligoceanus, 375.
Compsothlypis americana usneae, 187.
 'Condor,' review of, 123, 256, 379, 521.
Coniornis altus, 292.
 Connecticut, birds of, 63.
Conopophaga, 150.
Conurinae, 152.
Conurus holochlorus strenuus, 529.
 Cooke, Wells W., bird migration in the Mackenzie Valley, 442-459; review of his 'Distribution and Migration of North American Rails,' 113; review of his 'Preliminary Census of Birds of the United States,' 253; review of his 'Bird Migration,' 510; review of his 'Our Shore Birds and their Future,' 518.
 Coot, 464.
 Cormorant, Brandt's 462.
 Double-crested, 95, 500.
 Pelagic, 302.
 White-crested, 462.
Corthylio, 234, 235.
 calendula calendula, 236.
 c. cinerascens, 236.
 c. grinnelli, 236.
 c. obscurus, 236.
Corvus affinis, 289.
 brachyrhynchos brachyrhynchos, 21, 229.
 caurinus, 304.
 corax principalis, 304.
 macrorhynchus osai, 530.

- Corvus ossifragus*, 21.
 vociferus, 169.
Cory, Charles B., review of his
 'Notes on South American Birds,
 with Descriptions of New Spe-
 cies,' 515; review of his 'Descrip-
 tions of New Birds from South
 America and Adjacent Islands,'
 374.
Cossypha bocagei albimentalis, 260.
Coturnix coturnix coturnix, 280.
Cowbird, 21.
Crag-Martin, Pale, 283.
Crake, Baillon's, 281.
 Corn, 281.
Crandall, Lee S., Gray Sea Eagle off
 Nantucket, 368.
Crane, Little Brown, 464.
 Sandhill, 2, 155, 159, 163, 166.
Crateropus jardinei hypobrunneus,
 261.
 reinwardti houyi, 528.
 squamiceps squamiceps, 283.
Crateroscelis virgata, 260.
 albigula, 160.
Creepers, Brown, 192, 371, 505.
Crex crex, 281.
Crossbill, American, 304.
Crow, 229, 438, 451.
 American, 21.
 Bermuda, 229.
 Fish, 11, 21, 163.
 Florida, 2, 11, 163.
 Northwestern, 304.
Cryptoglaux acadica, 303.
 funerea richardsoni, 101, 228,
 502.
Crypturellus, 130.
Crypturus tataupa, 130.
 peruviana, 374.
Cuckoo, Yellow-billed, 324.
Cuculus mabiræ, 524.
Culver, D. E., Piping Plover at
 Cape May, N. J., 97.
Curlew, Eskimo, 226.
 Hudsonian, 302, 465.
 Curlew, Long-billed, 321.
Curtis, M. R., notice of his 'Factors
 Influencing the Size, Shape and
 Physical Constitution of the Egg
 of the Domestic Fowl,' 118.
Curucujus massena australis, 515.
Cyanistes cyanus, 261.
 pleskei, 261.
Cyanocitta cristata cristata, 232.
 447.
 c. florincola, 20, 326.
Cyanocompsa parellina beneplacita,
 529.
Cyclarhis flaviventris yucatanensis,
 168.
Cygnus passmori, 85.
Cynochorea owstoni, 524.
DA COSTA, notice of his 'Economic
 Value of the Birds of Brazil,' 518.
Dafila acuta, 463.
Dall, William H., review of his
 'Spencer Fullerton Baird. A
 Biography,' 505.
Dearborn, N., notice of his 'Bird
 Houses and How to Build Them,'
 117.
Delaware, birds of, 71.
Delaware Valley Ornithological
 Club, twenty-fifth anniversary
 meeting, 269.
Demigretta sacra, 483.
Dendrocincla, 147.
Dendrocolaptidæ, 145-153.
Dendrocygna, 374.
Dendroica æstiva æstiva, 187.
 bryanti bryanti, 168.
 cærulescens cærulescens, 109,
 110, 187, 232, 498.
 c. cairnsi, 109, 110.
 castanea, 188, 230, 447.
 cerulea, 188.
 coronata, 187.
 discolor, 189.
 dominica albilora, 189.
 fusca, 188, 230.

- Dendroica magnolia*, 109, 188, 232, 447.
palmarum hypochrysea, 189.
p. palmarum, 189, 230, 447.
pennsylvanica, 109, 188.
striata, 188, 232, 448.
tigrina, 104, 105, 106, 187, 231, 233, 234, 447, 498.
vigorsi, 498, 504.
virens, 109, 189, 447.
Dendromus aureicuspis, 381.
Dendropicos fuscescens cosensi, 380.
lafresnayi loandæ, 380.
Dendroplex, 147.
Dichromanassa peali, 483.
rufescens, 483.
rufa, 167.
Dichromatism, 481-484.
Dickcissel, 28, 329.
Dickey, Samuel S., rare birds near Waynesburg, Pa., 236; the resident Chickadee of southwestern Pennsylvania, 498.
Dicrurus münzneri, 528.
Diomedea nigripes, 300.
Dolichonyx oryzivorus, 21.
Dove, Ground, 322.
 Mourning, 2, 4, 238.
 Rock, 306-316.
 Turtle, 281.
 Western Mourning, 322.
Dowitcher, Long-billed, 464.
Dryophila, 150.
Dryoscopus angolensis cameroonensis, 524.
Duck, Florida Black, 155, 159, 160.
 Harlequin, 225, 302, 463.
 Lesser Scaup, 2, 463.
 Mottled, 318.
 Ring-necked, 239, 463.
 Ruddy, 463.
 Scaup, 463, 500.
 Wood, 102, 162-163, 165, 463.
Dulciornis alisteri mayi, 126.
Dumetella carolinensis, 191, 232, 500.
Dunlin, 281.
Dunlop, Eric B., notes on some Manitoban birds, 500.
Drymornis, 147.
Dryobates borealis, 324.
 pubescens microleucus, 128.
 scalaris parvus, 168.
 villosus sitkensis, 303.
Dryoscopus angolensis cameroonensis, 524.
EAGLE, Bald, 236.
 Gray Sea, 368.
 Northern Bald, 303.
Economic Ornithology in recent Entomological publications, review of, 253, 520.
Ectopistes migratorius, 29-41.
Egret, 3, 4, 161.
 Reddish, 483.
Egretta dimorpha, 125.
Eider, King, 454.
 Pacific, 452, 454.
Eifrig, C. W. G., concealing posture in Grebes, 95; Cory's Least Bittern in Illinois, 98; an albinistic Bobolink, 101; notes on some birds of the Maryland Alleghanies; an anomaly in the Check-List, 108; Bachman's Sparrow near Chicago, Illinois, 496.
Elainea ridleyana, 50.
Emberiza caesia, 288.
 cia prageri, 382.
 hortulana, 288.
 melanocephala, 288.
 m. orientalis, 261.
Empidonax difficilis difficilis, 304.
 flaviventris, 447.
 minimus, 20, 448.
 trailli alnorum, 20, 447.
 t. trailli, 20.
 virescens, 20.
 'Emu,' review of, 126, 381.
Entomothera coromanda, 513.

- Entomothera c. bangsi, 513.
 c. mizorhina, 513.
 c. neophora, 513.
 c. ochrothorectis, 513.
 c. pagana, 513.
 Eoecornis ardetta, 375.
 Ereunetes mauri, 302, 464.
 pusillus, 202, 236, 448, 524.
 Erismatura jamaicensis, 463.
 Erythropus vespertinus trans-
 riphæus, 527.
 Estrilda atricapilla keniensis, 251.
 Ethelornis magnirostris whitlocki,
 527.
 Eudypetes chrysolophus, 514.
 Eumomota s. superciliosa, 168.
 Euphagus carolinus, 23, 447, 503.
 cyanocephalus, 23, 383.
 Eupsychortyx nigrigularis, 167.
 FALCO columbarius suckleyi, 107.
 falconella, 375.
 percontator, 168.
 peregrinus, 381.
 p. anatum, 303.
 pyrrhogaster, 381.
 sparverius sparverius, 445.
 s. sparveroides, 480.
 Faxon, Walter, Junco breeding in
 Concord and Lexington, Mass.,
 497; review of his 'Relics of
 Peale's Museum,' 512.
 Feilden, G. St. C., review of his
 'Notes on some Birds of Trinidad
 and Tobago,' 122.
 Fernando Noronha, birds of, 41, 50.
 Finch, Palestine Green, 287.
 Purple, 24, 178.
 Sinai Rosy, 288.
 Flicker, 2, 10, 160, 232, 325, 449.
 Florence, Laura, review of her re-
 port on the food of birds in
 Scotland, 121, 519.
 Florida, birds of, 1-14, 154-166,
 211-213.
 Florida cerulea, 167, 479.
 Floyd, Charles B., Brown Thrasher
 wintering in Mass., 370.
 Flycatcher, Acadian, 20.
 Alder, 20, 240.
 Crested, 10, 18, 163, 325.
 Eastern Spotted, 283.
 Least, 20.
 Olive-sided, 19.
 Scissor-tailed, 18.
 Traill's, 20.
 Yellow-bellied, 19.
 Western, 304.
 Forbush, E. H., notice of his
 'Seventh Annual Report of the
 State Ornithologist of Massa-
 chusetts,' 377.
 Formicariidæ, 150.
 Francolinus bicalcaratus adamauxæ,
 528.
 hildebrandti helleri, 251.
 Franzen, J. W., Willow Ptarmigan
 in Minnesota, 99.
 Fratercula arctica arctica, 495.
 corniculata, 296.
 Fregata, 384.
 aquila, 47.
 ariel, 259.
 ariel subsp.?, 345.
 minor, 259.
 minor nicolli, 345.
 Fregilupus varius, 382.
 Frigate-bird, 47.
 Fuertes, Louis Agassiz, another
 European Widgeon in Virginia,
 367.
 Fulica americana, 464.
 Fulmar, Pacific, 300.
 Fulmarus glacialis ghipischa, 300.
 Furnarius, 148.
 GADWALL, 462.
 Galerida cristata, 125.
 Gallinago delicata, 368, 464.
 Gallinula galeata, 320.
 Gallinule, Florida, 11, 320.
 Purple, 320.

- Garrulus diaphorus*, 380.
 minor, 384.
Gavia adamsi, 454, 494.
 immer, 461.
 pacifica, 296, 454, 461.
 pusilla, 375.
 stellata, 225, 367, 461.
 Generic limits, 387.
Geobates, 147.
Geocichla princei graueri, 260.
 gurneyi oberländeri, 260.
 g. tanganjica, 260.
 major, 530.
Geopelia shutridgei, 127.
 Georgia, birds of, 207-210.
Geothlypis trichas ignota, 190.
 t. trichas, 190, 330.
 Gill, Theodore Nicholas, obituary
 of, 139; in memoriam, 391-
 405.
Glaucidium brasilianum ridgwayi,
 167.
Glyphorhynchus, 149.
 Gnatcatcher, Blue-gray, 106, 193.
 Golden-eye, 463.
 Barrow's, 225.
 Goldfinch, 24, 238, 287.
 Goose, Blue, 226.
 Cackling, 463.
 Canada, 449, 450.
 Hutchin's, 452.
 Ross's, 452.
 Snow, 367, 463.
 White-cheeked, 463.
 White-fronted, 463.
 Goshawk, White, 484.
 Gould, Jos. E., birds observed in
 Trinity churchyard, N. Y. City,
 371.
 Grackle, Boat-tailed, 10, 24, 158.
 Bronzed, 24.
 Florida, 1, 10, 23, 160, 163.
 Purple, 232.
 Tristram's, 289.
Grammopsittaca lineola maculata,
 529.
 Great-tit, Palestine, 286.
 Grebe, Eared, 461.
 Holboell's, 461.
 Pied-billed, 461.
 Western, 461.
 Greenshank, 281.
 Grinnell, J., a new subspecies of
 Screech Owl from California, 59-
 60; review of 'Nature and Science
 on the Pacific Coast,' edited by,
 513.
 Griscom, Ludlow, the Little Black
 Rail on Long Island, N. Y., 227;
 Prairie Horned Lark in Rhode
 Island in summer, 229.
 Griscom, Ludlow and Harper,
 Francis, the Bohemian Waxwing
 (*Bombycilla garrula*) at Ithaca,
 N. Y., 369.
 Grosbeak, Alaska Pine, 239.
 Blue, 28, 329.
 Evening, 102.
 Rose-breasted, 27, 445.
 Grouse, Ruffed, 238.
Grus americana, 447.
 canadensis, 457, 464.
 marshi, 375.
 Guillemot, Pigeon, 299, 461.
Guiraca caerulea caerulea, 28, 168,
 329.
 Gull, Audouin's, 281.
 Bonapartes, 462.
 California, 462.
 Glaucous, 281, 454.
 Glaucous-winged, 300, 462.
 Heermann's, 462.
 Herring, 300.
 Iceland, 495.
 Sabine's, 454.
 Short-billed, 452, 462.
 Western, 462.
Guracava difficilis, 251.
Guttera, 383.
Gygis crawfordi, 48, 345.
 candida, 48.
 alba, 48.

- HEMATOPUS bachmani, 302, 465.
Haleyon chloris keiensis, 130.
 leucocephala ogilviei, 258.
 malimbicus prenticei, 251.
 senegalensis cinereicapillus,
 251.
Haliaeetus albicilla, 368.
 leucocephalus alascanus, 303.
 l. leucocephalus, 236, 323.
Hankin, E. H., review of his 'Animal Flight,' 245.
Harelda hyemalis, 463.
Harper, Francis, see Griscom, Ludwig.
Hartert, Ernst, review of his 'Die Vögel der palaarktischen Fauna,' 248.
Hawk, Black Pigeon, 167.
 Cuban Sparrow, 480.
 Duck, 303.
 Florida Red-shouldered, 10, 13.
 Florida Sparrow, 4.
 Levant Sparrow, 282.
 Marsh, 159.
 Red-shouldered, 100, 163.
 Red-tailed, 445.
 Texas Red-shouldered, 322.
Heald, F. D. and Studhalter, R. A., review of their 'Birds as Carriers of the Chestnut-Blight Fungus,' 119.
Helinaia swainsoni, 186.
Helmitheros vermivorus, 186.
Helodromas solitarius, 238.
 s. cinnamomeus, 464.
Henshaw, H. W., review of his 'Report of Chief of Bureau of Biological Survey,' 252; review of his 'American Game Birds,' 517.
Hernan, Otto, obituary of, 539.
Herodias eulophotes, 124.
Heron, Black-crowned Night, 3, 4, 165, 424-441.
 Great Blue, 2, 3.
 Great White, 483.
 Green, 4, 430, 481.
Heron, Little Blue, 2, 4, 158, 165, 483.
 Louisiana, 3, 4, 165.
 Northwestern Coast, 302, 464.
 Purple, 281.
 Reef, 483.
 Ward's, 2, 3, 4, 158.
 Yellow-crowned Night, 97, 158, 236.
Herpetotheres cachinnans, 167.
Hesperiphona vespertina vespertina, 102.
Hesperornis montana, 293.
 regalis, 290.
Hierophasis dissimilis, 383.
Hippolais languida, 285.
 pallida pallida, 285.
Hirundo, 525.
 erythrogastra, 184, 236.
 rustica, 236.
 urbica urbica, 283.
Histrionicus histrionicus, 225, 302, 463.
Hornaday, William T., review of his 'Wild Life Conservation in Theory and Practice,' 248.
Hornbill, Giant, 113.
Hull, E. D., the Double-crested Cormorant in the Chicago area, 95; note on the feeding of the Mallard, 96.
Hummingbird, Ruby-throated, 17.
Hylota slatini, 260.
Hylocichla aliciae aliciae, 193, 447.
 fuscescens fuscescens, 109, 193, 237.
 guttata pallasi, 104, 232, 447, 505.
 mustelina, 193, 331.
 ustulata swainsoni, 194, 448.
 u. ustulata, 305.
Hypocharmosyna rubrigularis kraikeri, 384.
Hypoleucus varius perthi, 513.
 v. whitei, 513.
Hypotriorchis subbuteo irkutensis, 260.

- 'IBIS,' review of the, 124, 257, 522.
 Ibis, White, 4, 10, 158, 161, 163, 165.
 Wood, 3, 4, 161.
 Icteria virens virens, 191, 330.
 Icterus galbula, 23.
 gularis yucatanensis, 168.
 m. mesomelas, 169.
 spurius, 22.
 Ihering, Herman von, the classification of the family Dendrocolap-
 tidae, 145-153.
 Illinois, birds of, 95, 98, 101, 348, 367, 496.
 Incubation, time of, 134.
 Indiana, birds of, 348.
 Indicator minor alexanderi, 380.
 exilis leona, 380.
 e. ansorgei, 380.
 Ingersoll, E., review of 'Alaskan Bird-Life,' edited by, 114.
 Ionornis martinicus, 320.
 Iowa, birds of, 234, 354.
 Iridoprocne bicolor, 184.
 Irrisor erythrohynchus ruwenzoræ, 523.
 Ithaginis cruentus kuseri, 263.
 tibetanus, 125.
 Ixobrychus exilis, 319, 482, 483.
 minutus victoria, 527.
 neoxenus, 99, 482, 483.
 Ixoreus naevius naevius, 305.
 n. meruloides, 452.
 Ixulus flavicollis baileyi, 125.

 JAEGER, Parasitic, 299, 461.
 Jay, Blue, 232, 466.
 Canada, 500.
 Florida, 2, 20, 326.
 Florida Blue, 2.
 Jewel, L. L., the diving instinct in Shorebirds, 227.
 Job, Herbert K., review of his 'Propagation of Upland Game Birds,' 509; review of his 'Propagation of Wild Water-fowl,' 509.
 Johnson, Charles Eugene, a four-winged wild-duck, 469-480.
 'Journal für Ornithologie,' review of, 260, 528.
 Junco, 201.
 hyemalis carolinensis, 109.
 h. hyemalis, 26, 497.
 h. oreganus, 304.
 oreganus, 304.
 Junco, Carolina, 109.
 Oregon, 304.
 Slate-colored, 26, 371, 497.
 Jynx ruficollis cosensi, 380.
 torquilla harterti, 527.

 KANSAS, birds of, 358.
 Karua leucomela mayi, 126.
 Kennard, F. H., on the trail of the Ivory-bill, 1-14; the Okaloa-cochee Slough, 154-166.
 Kentucky, birds of, 215-218.
 Kestrel, 282.
 Killdeer, 11, 465.
 King, F. H., 239.
 Kingbird, 18, 368.
 Arkansas, 18, 495.
 Kingfisher, 282.
 Belted, 2, 163, 324.
 Northwestern Belted, 303.
 Kinglet, Golden-crowned, 305, 505.
 Ruby-crowned, 193.
 Sitka, 107.
 Western Golden-crowned, 305.
 Kite, Everglade, 159.
 Swallow-tailed, 10, 11, 154, 163.
 Kittiwake, Pacific, 300, 461.
 Knot, 464.
 Kopman, H. H., list of the birds of Louisiana, 15-29, 183-194.
 Kretzmann, Paul E., the Arkansas Kingbird (*Tyrannus verticalis*) in eastern Minnesota, 495.
 Kuroda, N., notice of his recent ornithological publications, 116.

 LAGOPUS lagopus lagopus, 99.

- Laing, Hamilton M., review of his
'Out with the Birds,' 510.
- Laiscopus collaris whymperi, 379.
- Lane, James W., Cape May Warblers destructive to grapes on Long Island, 498.
- Lanius collurio collurio, 286.
 excubitor aucheri, 285.
 ludovicianus ludovicianus, 108, 184.
 l. migrans, 185.
 nubicus, 285.
 serrator niloticus, 286.
- Lanivireo flavifrons, 185.
 solitarius solitarius, 185, 447.
- Lark, Calandra, 286.
 Eastern Calandra, 286.
 Hoyt's Horned, 447.
 Mt. Herman Horned, 286.
 Prairie Horned, 20.
 Short-toed, 286.
 Sinai Desert, 286.
- Larus argentatus, 300.
 audouini, 281.
 brachyrhynchus, 452, 462.
 californicus, 462.
 glaucescens, 300, 462.
 heermanni, 462.
 hyperboreus, 281, 450.
 leucopterus, 495.
 occidentalis, 462.
 philadelphia, 462.
 pristinus, 375.
 taimyrensis, 527.
 t. antelius, 527.
- Leptophaëton, 197.
- Leptotila rufaxilla hellmayri, 515.
 r. pallidipectus, 515.
 verreauxi nuttingi, 529.
- Lestornis crassipes, 291.
- Leucippus fallax richmondi, 516.
- Leucophoyx c. candidissima, 167.
- Levick, G. Murray, review of his
'Antarctic Penguins,' 372.
- Licmetis nasica, 263.
- Limicolavis pluvianella, 375.
- Limpkin, 517.
- Limosa hæmastica, 445.
- Linnet, Eastern, 287.
- Lobipes lobatus, 302, 464, 500.
- Lochmias, 148, 149.
- Locustella fluviatilis, 284.
- Löfström Lawrence L., bird notes from Cambridge, Isanti County, Minn., 501.
- Loon, 461.
 Pacific, 296, 454, 461.
 Red-throated, 225, 367, 461.
 Yellow-billed, 454, 494.
- Lophoceros nasutus maraisi, 130.
- Lophodytes cucullatus, 462.
- Lophortyx gambellii sanus, 128.
- Louisiana, birds of, 15-29, 213-215.
- Loxia curvirostra minor, 304.
 pytyopsittacus, 523.
- Luscinia luscinia, 284.
- Lunda cirrhata, 296, 461.
- McATEE, W. L., review of his
'How to Attract Birds in North-eastern United States,' 252; notice of his 'Eleven Important Wild Duck Foods,' 518.
- McIlhenny, E. A., review of his
'The Wild Turkey and Its Hunting,' 115.
- Machetes pugnax, 226, 524.
- Mackenzie, L. L., the Red-throated Loon (*Gavia stellata*) in Jackson Park, Ill., 367.
- Macrorhamphus griseus scolopaceus, 457, 464.
- Macropygia amboinensis meeki, 384.
 rufa krakeri, 384.
- Macrosphenus flavicans ugandæ, 524.
- Maine, birds of, 102, 104, 234.
- Malaconotus olivaceus pallidirostris, 528.
- Mallard, 96, 225, 449, 462.
- Manitoba, birds of, 500, 510.
- Mareca americana, 225, 462.

- Mareca penelope*, 225, 367, 462.
Margarornis, 149.
Marila americana, 237, 462.
 affinis, 462.
 collaris, 239, 462.
 marila, 462, 500.
 valisineria, 237, 462.
Martin, Purple, 2, 183.
 Sand, 283.
Maryland, birds of, 73, 108.
Massachusetts, birds of, 63, 104,
 230, 367, 368, 370, 495, 497, 499.
Mathews, Gregory M., *Phaëthon*
catesbyi Brandt, 195-197; re-
 view of his, 'The Birds of Aus-
 tralia,' 116, 512.
Mathewsena, 127.
Meadowlark, 21, 180.
 Southern, 2, 22, 160, 163, 326.
Mearns, E. A., reviews of his papers
 on new African birds, 251.
Mearns, Louis di Zarega, obituary,
 268.
Megalestris maccormicki, 373.
Megaquiscalus major major, 24.
Melanerpes erythrocephalus, 237,
 324.
Melanocorypha calandra calandra,
 286.
 bimaculata, 286.
Melanorhectes umbrinus, 260.
Meleagris gallopavo silvestris, 207-
 224, 322.
Melilestes chloreus, 260.
Melirrhophetes rufocrissalis, 260.
Melittophagus variegatus bang-
 weoloensis, 258.
 v. loringi, 251.
Melopelia asiatica mearnsi, 529.
 a. trudeaui, 167.
Melospiza georgiana, 27, 447.
 lincolni lincolni, 27.
 melodia melodia, 27.
 m. rufina, 304.
Merganser, 462.
 Hooded, 462.
 Merganser, Red-breasted, 462.
Mergus americanus, 462.
 serrator, 462.
Merops apiaster, 282.
Merrill, D. E., Audubon's *Caracara*
 in New Mexico, 100.
Merula celanops yakushimensis,
 530.
Merulaxis griseicollis, 414.
 squamiger, 414.
Mesites, 382.
Mesitornis, 382.
Mesocarbonyx ater ater, 513.
 a. territorii, 513.
Mesocneme, 382.
 'Messenger Ornithologique,' review
 of, 261, 527.
Michigan, birds of, 348.
Micranous leucocapillus, 48, 345.
Micrastus melanoleucus, 168.
Microeca poliocephala, 260.
Micropalama himantopus, 447.
Microzalias, 524.
Migration, 442-459, 510.
Miller, W. DeW., the Whimbrel,
 Ruff, Buff-breasted Sandpiper,
 and Eskimo Curlew on Long
 Island, N. Y., 226; Richardson's
 Owl and other owls in Franklin
 County, New York, 228; Cor-
 thylio — a valid genus for the
 Ruby-crowned Kinglet, 234; re-
 view of his 'Notes on Ptilosis with
 Special Reference to the Feather-
 ing of the Wing,' 373.
Mimus gilvus gracilis, 168.
 polyglottos polyglottos, 191.
Minerva, 375.
Minnesota, birds of, 99, 354, 495, 501.
Mississippi, birds of, 213-215.
Missouri, birds of, 354.
Mitchell, H. H., Mallards wintering
 in Saskatchewan, 225; Lewis's
 Woodpecker taken in Saskatche-
 wan, 228; Crows nesting on the
 ground, 229.

- Mniotilta varia, 185, 232, 448.
Mockingbird, 2, 10, 163, 191.
Molothrus ater ater, 21.
Momotus yucatanensis, 168.
Monarcha chalybeocephalus manu-
mudari, 384.
Montana, birds of, 225, 238.
Monticola saxatilis, 284.
solitarius solitarius, 284.
Moore, Robert T., methods of
recording bird songs, 535.
Morococyx erythropygius mexi-
cana, 529.
Motacilla alba alba, 286.
Munro, J. A., two new records for
British Columbia, 107.
Murphy, Robert Cushman, ten
hours at Fernando Noronha,
41-50; the Atlantic range of
Leach's Petrel (*Oceanodroma
leucorhoa* (Vieillot)), 170-173;
a note on the migration at sea of
shore birds and swallows, 236;
the bird life of Trinidad Islet,
332-348; review of his 'The
Penguins of South Georgia,' 514.
Murphy, R. C., and Rogers, C. H.,
a winter record for the Palm
Warbler on Long Island, N. Y.,
230.
Murre, California, 299, 461.
Murrelet, Ancient, 298, 461.
Marbled, 299, 461.
Muscicapa striata neumanni, 283.
Muscivora forficata, 18.
Myiarchus crinitus, 18, 325.
Myiobius, 145.
Myiochanes virens, 19.
Myornis, 408, 410.
senilis, 410.
Myrmotherula, 150.

NANNOCNUS ijimæ, 530.
Nannus hiemalis hiemalis, 192.
h. pacificus, 305.
troglodytes pallidus, 283.

Nantucket, birds of, 368.
Nasica, 147.
National Association of Audubon
Societies, review of 'Annual
Report for 1914,' 117.
Nebraska, birds of, 358.
Nebraska, Ornithologists' Union,
notice of 'Proceedings,' 379, 522.
Nelson, E. W., a bird census of the
United States, 267.
Neonectris griseus missus, 524.
g. pescadorei, 524.
Neopsittacus muschenbrocki al-
pinus, 125.
Nettion carolinense, 302, 458, 462,
469-480.
New Hampshire, birds of, 240, 496.
New Jersey, birds of, 71, 97, 226,
370, 498.
New Jersey Audubon Society, no-
tice of 'Annual Report for 1914,'
255.
New Mexico, birds of, 100.
New York, birds of, 68, 97, 226,
227, 228, 230, 237, 369, 371, 495.
Nichols, J. T., Spotted Sandpiper
and water, 368.
Nighthawk, 15.
Florida, 16, 325.
Nightingale, 284.
Night-jar, 282.
Noddy, 48, 345.
North Carolina, birds of, 207-213.
Nothoprocta ambigua, 374.
Noticenas, 529.
Nova Scotia, birds of, 368.
Nucifraga caryocatactes altaicus,
527.
columbiana, 371.
Numenius americanus, 302, 460.
borealis, 226, 447.
hudsonicus, 302, 465.
phaeopus, 226.
Numida meleagris (?), 342.
Nutmacker, Clarke's, 371.
Nuthatch, Brown-headed, 10, 193.

- Nuthatch, Red-breasted, 192.
 White-breasted, 192.
 Nuttallornis borealis, 19.
 Nycticorax cyanocephalus falk-
 landicus, 125.
 nycticorax naevius, 424, 441.
 Nyctidromus albicollis obscurus,
 374.
 Nyctinassa violacea, 236.
 Nyroca ferina, 261.
 nyroca, 261.

 OBERHOLSER, H. C., review of his
 'A Synopsis of the Races of the
 Long-tailed Goatsucker, Capri-
 mulgus macrourus,' 513; review
 of his 'A Review of the Subspe-
 cies of the Ruddy Kingfisher,
 Entomothera coromanda (Lin-
 naeus),' 513; review of his
 'Critical Notes on the Subspecies
 of the Spotted Owl, Strix occi-
 dentalis (Xantus), 513.
 Obituary Notices, 133, 268, 539.
 Oceanites oceanicus, 46.
 Oceanodroma, 379.
 beali, 301.
 beldingi, 301.
 furcata, 300.
 hornbyi, 524.
 leucorhoa, 170-173.
 l. kaedingi, 301.
 Odontophorus guianensis panamen-
 sis, 515.
 plumbeicollis, 374.
 Oenanthe isabellina, 284.
 leucopyga, 284.
 lugens lugens, 284.
 melanoleuca finchii, 284.
 oenanthe rostrata, 284.
 monacha, 284.
 stapanza, 380.
 Oenonas chiriquensis, 530.
 Ohio, birds of, 218-224.
 Oidemia americana, 463.
 deglandi, 447, 463.
 Oidemia perspicillata, 463.
 Oklahoma, birds of, 362.
 Olor buccinator, 82-90.
 columbianus, 82, 84, 85, 463.
 americanus, 85, 86.
 'Oologist' review of the, 124, 257,
 379, 522.
 Onychorhynchus, 145.
 Oporornis agilis, 190, 504.
 formosus, 190.
 philadelphia, 190, 505.
 'Oregon Sportsman,' notice of, 255.
 Oreopsittacus arfaki intermedius,
 260.
 a. major, 125.
 Oriole, Baltimore, 23.
 Orchard, 22.
 Oriolus musicus, 169.
 'Ornithologische Monatsschrift,'
 notice of, 127.
 'Ornithologische Monatsberichte,'
 notice of, 128, 261, 381, 528.
 'Ornithologisches Jahrbuch,' no-
 tice of, 260-527.
 Orthorhamphus magnirostris, 517.
 Ostrich, 279.
 Otocoris alpestris bicornis, 286.
 a. hoyti, 447.
 a. praticola, 20.
 Othyphantes edmundi, 261.
 Otus asio bendirei, 60.
 a. gilmani, 60.
 a. kennicotti, 60.
 a. mecalli, 323.
 a. **quercinus**, 60.
 choliba margaritæ, 374.
 Ovenbird, 189, 232, 237, 241.
 Owl, Barred, 163, 228.
 Butler's, 282.
 Dusky Horned, 303.
 Florida Barred, 4, 10.
 Florida Burrowing, 155.
 Hawk, 228.
 Great Horned, 159, 228.
 Long-eared, 228.
 Richardson's, 101, 228, 502.

- Owl, Saw-whet, 303.
Texas Screech, 323.
Oxyechus vociferus, 465.
Oyster-catcher, Black, 302, 460.
- PACHYCEPHALA hypoleuca, 260.
pectoralis goodsoni, 129.
Palæornis krameri centralis, 528.
Palestine, birds of, 273.
Palmer, T. S., on obituary notices, 133; in memoriam Theodore Nicholas Gill, 391-405.
Pangburn, Clifford H., some New York City notes, 237.
Partridge, Chukar, 279.
Hey's, 279.
Parus ater prageri, 382.
major terræ-sanctæ, 286.
Passer domesticus, 51-59, 198.
d. biblicus, 52, 287.
d. arboreus, 53.
d. ahasver, 53.
d. chephreni, 53.
d. indicus, 53, 287.
d. pyrrhonotus, 53.
d. tingitanus, 52.
d. niloticus, 53, 287.
hispaniolensis transaspicus, 288.
maobiticus maobiticus, 288.
Passerculus sandwichensis alaudinus, 457.
s. savanna, 25, 439.
Passerella iliaca iliaca, 27, 447.
i. townsendi, 305.
Passerherbulushenslowihenslowi, 25.
lecontei, 25, 457, 458, 497.
maritimus fisheri, 25.
m. sennetti, 327.
nelsoni nelsoni, 25, 447, 501.
Passerina ciris, 28, 329.
cyanea, 28, 498.
Peal's Museum, 512.
Pearl, Raymond, notice of his 'Improving Egg Production by Breeding,' and 'The Brooding Instinct in its Relation to Egg Production,' 118.
Pearl, Raymond and Surface, F. M. notice of their 'Variation and Correlation in the Physical Characters of the Egg,' 118.
Pelecanus erythrorhynchos, 462.
Pelican Brown, 2.
White, 462.
Pelidna alpina alpina, 281.
Penguin, Adelie, 372.
Emperor, 373.
Pennsylvania, birds of, 106, 225, 231, 236, 498.
Penthestes carolinensis carolinensis, 193, 498.
hudsonicus hudsonicus, 501.
rufescens rufescens, 305.
Perdix aurica suschkini, 261.
Perisoreus canadensis canadensis, 500.
c. sanfordi, 128.
infaustus maritimus, 527.
Peristera geoffroyi, 49.
Petrel, Fork-tailed, 300.
Kaeding's, 301.
Leach's, 170-173.
Wilson's, 46.
Petrochelidon fulva pallida, 102.
lunifrons lunifrons, 184.
l. tachina, 102.
Petronia petronia puteicola, 287.
Peuceea æstivalis bachmani, 26, 327, 496.
Pewee, Wood, 19, 240.
Phacellodomus, 148.
Phætho æthereus, 47, 197.
americanus, 195.
candidus, 195.
catesbyi, 195-197.
flavivirostris, 195.
fulvus, 47.
lepturus, 46, 195.
rubricauda, 197.
Phalacrocorax auritus auritus, 95, 500, 517.

- Phalacrocorax a. cinctatus*, 462.
carbo indicus, 513.
d. ditophus, 95.
macropus, 481, 485-488.
marinavis, 375.
mediterraneus, 375.
pelagicus pelagicus, 302.
penicillatus, 462.
- Phalarope*, Northern, 302, 464, 500.
- Phasianus alfhildæ*, 375.
americanus, 375.
miocænanus, 375.
mongolicus bergii, 261.
roberti, 376.
- Pheuticus chrysopheplus laubmanni*, 382.
- Philemonopsis meyeri canescens*, 260.
- Phillips, Charles L., the Blackburnian and Bay-breasted Warblers at Martha's Vineyard, Mass., 230.
- Phillips, John C., notes on American and Old World English Sparrows, 51-59; the old New England Bobwhite, 204-207; Snow Geese and Swans in Massachusetts, 367; some birds from Sinai and Palestine, 273-289; review of his 'Experimental Studies of Hybridization among Ducks and Pheasants,' 249.
- Philohela minor*, 108.
- Philydor*, 147, 150.
- Phlegænas beccarii admiralitatis*, 129.
- Phlæotomus pileatus abieticola*, 109, 238.
- Phœbe*, 2, 19, 463.
- Phœnicurus phœnicurus phœnicurus*, 284.
- Phyllastrephus leucolæma camerunensis*, 260.
lorenzi, 260.
- Phyllobasileus*, 235.
- Phylloscartes paulista*, 251.
- Phylloscopus bonelli orientalis*, 285.
sibilatrix sibilatrix, 285.
collybita, 285.
- Piaya*, 516.
cayana cearæ, 516.
melanogaster ochracea, 516.
- Pica pica bactriana*, 527.
- Picnonotus capensis xanthopygos*, 283.
- Picoides arcticus*, 503.
- Picolaptes*, 147, 148.
- Picus dubius*, 168.
owstoni, 530.
parvus, 168.
- Pigeon*, Rock, 281.
- Pinicola enucleator alascensis*, 239.
e. altaicus, 527.
e. sakhalinensis, 527.
eschatosus, 128.
- Pintail*, 449, 463.
- Pipilo erythrophthalmus erythrophthalmus*, 27.
- Pipit*, 191.
Sprague's, 191, 239.
Tawny, 286.
Tree, 286.
- Pipra aureola scarlatina*, 382.
- Piranga erythromelas*, 183, 232, 237.
ludoviciana, 183, 455.
rubra rubra, 183, 330.
roseogularis, 169.
- Pisobia fuscicollis*, 447.
maculata, 226, 230, 464.
minutilla, 464.
- Planesticus grayi tamaulipensis*, 168.
migratorius migratorius, 194, 232, 448.
- Platycercinæ*, 152.
- Platypsaris aglaïæ yucatanensis*, 168.
- Platyurus niger*, 411.
- Ploceus melanolæma*, 260.
- Plover*, Black-bellied, 465, 500.
Piping, 97, 500.
Semipalmated, 97, 302, 465.
Snowy, 465.

- Plover, Stone, 518.
 Podager nacunda minor, 374.
 Podilymbus podiceps, 95, 461.
 Poœcetes gramineus confinis, 457, 499.
 g. gramineus, 24.
 Pogoniulus chrysoconus rhodesiæ, 380.
 Poicephalus meyeri nævei, 125.
 Polioliæ alexanderi, 258.
 Polioptila cœrulea cœrulea, 106, 193.
 Polyborus cheriway, 100, 167.
 Pomatorhinus horsfieldi transcœnensis, 263.
 ruficollis bakeri, 263.
 Pomeroy, Harry Kirkland, obituary, 386.
 Porphyrio mertoni, 130.
 Porzana carolina, 464.
 pusilla, 281.
 Potter, Julian K., Prothonotary Warbler at South Vineland, N. J., 370.
 Prionochilus anthonyi,
 Progne subis subis, 183.
 Protonotaria citrea, 186, 370, 503.
 Pseudopitta, 260.
 Pseudoseisura, 148.
 Psilorhinus mexicanus vociferus, 169.
 Psittacella modesta collaris, 125.
 Psittaci, 151.
 Psittacula conspicillata caucæ, 515.
 Ptarmigan, Willow, 99.
 Pterocles lichtensteini arabicus, 280.
 quadricinctus lowei, 125.
 Ptilotis simplex, 260.
 Ptychoramphus aleuticus, 297.
 Publications Received, 131, 264, 384, 531.
 Puffin, 495.
 Horned, 296.
 Tufted, 296, 461.
 Puffinus bannisteri, 524.
 gravis (?), 342.
 griseus, 300.
 Puffinus kuhli borealis, 524.
 fortunatus, 524.
 leucomelas, 524.
 nativitatis, 524.
 Putnam, F. W., obituary, 541.
 Pygoscelis adeliæ, 372.
 antarctica, 514.
 papua, 514.
 Pyrrherodias purpurea, 281.
 Pyrrhura melanura pacifica, 515.
 Pyrrhurinæ, 152.
 QUAIL, Egyptian, 280.
 Florida, 4, 10.
 Querquedula circia, 281.
 discors, 462.
 Quiscalus quiscula æneus, 24, 448.
 q. aglæus, 23.
 q. quiscula, 232.
 RAIL, Clapper, 113.
 King, 238.
 Virginia, 91-95, 464.
 Rallus elegans, 238.
 virginianus, 91-95, 464.
 Raperia godmanæ, 526.
 Rathbun, Samuel F., list of water and shore birds of the Puget Sound region in the vicinity of Seattle, 459-465.
 Raven, Fan-tailed, 289.
 Northern, 304.
 Redbird, 10.
 Redhead, 237, 463.
 Redpoll, 200.
 Redstart, 191, 232, 284, 449.
 Redwing, Florida, 2, 21.
 Reguloides, 235.
 Regulus calendula calendula, 193, 233.
 c. grinnelli, 107.
 cuvieri, 235.
 satrapa satrapa, 193, 505.
 s. olivaceus, 305.
 Reichenow, A., review of his 'Die Vögel,' 119.

- 'Revista Italiana Ornitologia,' review of, 382.
'Revue Française d'Ornithologie,' review of, 382, 525.
Rhea plumage, 142.
Rhinoplax vigil, 113.
Rhinopomastus cyanomelas intermedius, 130.
Rhoads, Samuel N., notice of his expedition of Guatemala, 271.
Rhode Island, birds of, 226, 229.
Rhynchortyx cinetus australis, 515.
Riparia riparia, 184, 283.
 obsoleta obsoleta, 283.
Rissa tridactyla pollicaris, 300, 461.
Roberts, Isaac G., Cape May Warbler eating grapes, 233.
Roberts, T. S., appointment of, 541.
Robin, 10, 106, 178, 194, 232, 240, 449, 466.
Robins, C. A., winter birds at Wareham, Mass., 499.
Rogers, C. H., see Murphy, R. C.
Ruff, 226.
Rupornis magnirostris conspecta, 167.

SAGE, John Hall, thirty-third stated meeting of the American Ornithologists' Union, 488-493.
Salpinctes guadeloupensis proximus, 123.
 obsoletus obsoletus, 234.
Saltator atriceps raptor, 169.
 grandis, 169.
 g. yucatanensis, 169.
Sanderling, 97, 464.
Sandpiper, Buff-breasted, 226, 500.
 Least, 464.
 Pectoral, 226, 464.
 Red-backed, 464.
 Semipalmated, 236, 445.
 Solitary, 238.
 Spotted, 227, 368, 464.
 Stilt, 445.
 Western, 302, 464.
Sandpiper, Western Solitary, 464.
Sandpipers, 201.
Sapsucker, Red-breasted, 304.
 Yellow-bellied, 458.
 Red-breasted, 304.
Saskatchewan, birds of, 225, 228.
Saunders, Aretas A., some suggestions for better methods of recording and studying bird songs, 173-183; Harlequin Duck in the Glacier National Park, Montana, 225; changes and additions to the 'List of the Birds of Gallatin County, Montana,' 238.
Saxicola finschii neglecta, 261.
 œnanthe, 194.
Sayornis phœbe, 19, 447.
 sayus, 457.
Scaëphætho rubricauda, rothschildi, 513.
Scapanus melanoleucus cearæ, 516.
 pallens peruviana, 516.
Schorger, A. W., Leconte's Sparrow in Wisconsin, 101; Bluegray Gnatcatcher nesting in Wisconsin, 106.
Sclerurus, 148.
Scotelus pallidiceps, 524.
Scopus umbretta bannermani, 257.
Scoter, 458.
 Surf, 463.
 White-winged, 447, 463.
Scotland, birds of, 519.
Scudder, Heyward, the bird's bath, 465-468.
Scytalopus acutirostris, 409.
 analis, 406-423, 408.
 argentifrons, 408, 421.
 bolivianus, 409.
 canus, 408, 412.
 erythropterus, 414.
 grandis, 409.
 griseicollis, 408, 412, 414.
 indigoticus, 409.
 infasciatus, 408, 414.

- Scytalopus latebricola*, 408, 416.
macropus, 409.
magellanicus, 407-411.
micropterus micropterus, 407, 417.
m. sancta-martae, 408, 418.
niger, 408, 411.
obscurus, 409.
panamensis, 408, 420.
sylvestris, 408, 416.
senilis, 408.
s. speluncae, 409.
superciliaris, 409.
unicolor, 409.
- See-see, 279.
- Seiurus aurocapillus*, 189, 232, 237, 447.
motacilla, 190.
noveboracensis noveboracensis, 190.
n. notabilis, 457.
- Septornis, 148.
- Serinus syriacus*, 288.
- Setophaga ruticilla*, 191, 232, 448.
- Shearwater, Sooty, 300.
- Sherman, Althea R., the Rock Wren at National, Iowa, 234.
- Shrike, Eastern Wood-chat, 286.
Great Gray, 285.
Loggerhead, 2, 108, 184.
Masked, 285.
Migrant, 185.
Red-backed, 286.
- Shoveller, 462.
- Shufeldt, R. W., anatomical and other notes on the Passenger Pigeon (*Ectopistes migratorius*) lately living in the Cincinnati Zoölogical Gardens, 29-41; the fossil remains of a species of *Hesperornis* found in Montana, 290-294; fossil remains of the extinct cormorant *Phalacrocorax macropus* found in Montana, 485-489; notice of Otto Herman, 539; review of his 'Anatomical Notes on the Young of *Phalacrocorax atriceps georgianus*,' 114; review of his 'On the Skeleton of the Ocellated Turkey (*Agriocharis ocellata*) with notes on the osteology of other *Meleagridae*,' 250; review of his 'Contributions to the Study of the "Tree Ducks" of the genus *Dendrocygna*,' 374; review of his Fossil Birds in the Marsh Collection of Yale University,' 375; notice of his 'On the Osteology of *Orthorhamphus magnirostris*,' 517; notice of his 'On the comparative Osteology of the Limpkin (*Aramus vociferus*) and its place in the System,' 517.
- Sialia sialis sialis*, 194.
- Simmons, George Finlay, on the nesting of certain birds in Texas, 317-331.
- Simpson, 'Gene M., review of his 'Pheasant Farming,' 252.
- Sinai, birds of, 273.
- Siskin, Pine, 24, 304.
- Sitta canadensis*, 192.
carolinensis carolinensis, 192.
europaea sztolemani, 527.
pusilla, 193.
- Sittasomus*, 147, 148.
- Skua, 373.
- Snake-bird, 11.
- Snethlage, Emilia, review of her 'Catalogue of the Birds of Amazonia,' 247.
- Snipe, Wilson's, 368, 459.
- Somateria spectabilis*, 450.
v-nigra, 452.
- Song, Bird, 173-183, 535.
- Sora, 113, 464.
- South America, birds of, 374.
- 'South Australian Ornithologist,' 126, 259, 526.
- South Carolina, birds of, 108, 207-210.

- Sparrow, Bachman's, 26, 327, 496,
 Chipping, 26, 110, 163, 240,
 467, 499.
 Dead Sea, 288.
 Desert Rock, 287.
 Eastern House, 287.
 English, 2, 51-59.
 Field, 26, 175, 500, 503.
 Fox, 27.
 Grasshopper, 25.
 Henslow's, 25.
 House, 198.
 Lark, 26.
 Leconte's, 497.
 Lincoln's, 27.
 Louisiana Seaside, 327.
 Nelson's, 25, 501.
 Palestine Rock, 287.
 Savannah, 25, 241, 439.
 Song, 27, 110, 175, 240, 371,
 503.
 Sooty Song, 304.
 Spanish, 288.
 Swamp, 27.
 Texas Seaside, 327.
 Townsend's Fox, 305.
 Vesper, 24, 175, 241, 434, 499.
 Western Chipping, 455.
 White-crowned, 26.
 White-throated, 26, 107, 232,
 237, 503.
 Spatula clypeata, 462.
 Spelman, Henry M., Jr., the
 Orange-crowned Warbler in Cam-
 bridge, Mass., in December, 230.
 Speotyto cunicularia arubensis, 374.
 c. beckeri, 374.
 c. intermedia, 374.
 Sphyrapicus varius varius, 447, 458.
 v. ruber, 304.
 Spinus pinus 24, 304.
 Spiza americana, 28, 329.
 Spizella monticola monticola, 447.
 m. ochracea, 457.
 pallida, 457, 458.
 passerina arizonæ, 455.
 Spizella p. passerina, 26, 499.
 pusilla pusilla, 500, 503.
 Spoonbill, Roseata, 161, 162, 163.
 165.
 Sporophila incerta, 128.
 Squatarola squatarola, 465.
 Starling, 466, 496, 500.
 Stelgidopteryx serripennis, 184.
 Stercorarius parasiticus, 299, 461.
 Sterna acufflava, 168.
 caspia, 500.
 fuliginosa, 48, 345.
 hirundo, 447.
 paradisæ, 462.
 sandvicensis acufflava, 168.
 Stone, Witmer, Cape May and Ten-
 nessee Warblers in Philadelphia,
 106; proposed revision of the By
 Laws of the American Ornithol-
 ogists' Union, 136; type locality
 of Lewis's Woodpecker and
 Clarke's Nutcracker, 371.
 Strepsilas interpres, 48.
 Streptopelia senegalensis sokotræ,
 125.
 Strix butleri, 282.
 occidentalis, 513.
 o. caurina, 513.
 o. huachucae, 513.
 o. lucida, 513.
 uralensis yenesseensis, 527.
 Struthio camelus, 279.
 Sturnella magna argutula 22, 326.
 m. magna, 21.
 Sturnus vulgaris, 496.
 Sula atlantica, 375.
 dactylatra, 258.
 d. californica, 258.
 cyanops, 258.
 leucogaster, 47.
 fusca, 47.
 piscator, 345.
 Sun-bird, Palestine, 286.
 Swallow, 283.
 Bank, 184.
 Barn, 184, 236.

- Swallow, Cliff, 184.
European, 236.
Lesser Cliff, 102.
Palestine, 283.
Red-rumped, 283.
Rough-winged, 184.
Tree, 184.
Swan, Trumpeter, 82-90.
Whistling, 463.
Swift, 283.
Pallid, 283.
Chimney, 16.
Sylvia atricapilla atricapilla, 285.
curruca curruca, 285.
communis icterops, 285.
hortensis crassirostris, 285.
nisoria nisoria, 285.
ruppelli, 285.
Synallaxis, 146, 148, 150.
spixi, 151.
Synthliboramphus antiquus, 298,
461.

TACHYPETES aquila, 47.
Tanager, Scarlet, 183, 232, 237.
Summer, 183, 330.
Western, 183, 455.
Tanyiptera hydrocharis vulcani,
384.
Tarsiger stellatus chirundensis, 130.
Taverner, P. A., review of his 'The
Double-crested Cormorant (*Pha-
lacrocorax auritus*) and its Rela-
tion to the Salmon Industries on
the Gulf of St. Lawrence,' 517.
Teal, Blue-winged, 462.
Green-winged, 302, 462, 469-
480.
Garganey, 281.
Telmatodytes palustris iliacus, 99.
p. palustris, 192.
Telmatornis rex, 375.
Tennessee, birds of, 215-218.
Tern, Arctic, 462.
Caspian, 500.
Love, 43.
Tern, Sooty, 345.
White, 48.
Tetrao urogallus aquitanicus, 257.
Texas, birds of, 102, 317-331,
362.
Thamnophilus, 150.
doliatus yucatanensis, 168.
Thayer, J. E., two species of Cliff
Swallow nesting in Kerr County,
Texas, 102; Wilson's Snipe win-
tering in Nova Scotia, 368.
Thelazomenus, 260.
pœcilocercus, 260.
Thrasher, Brown, 3, 192, 232, 370,
500.
Threnetes leucurus rufigastra, 515.
longicauda, 374.
Thripas namaquus intermedius,
380.
Thripophaga, 148.
Thrush, Blue, 284.
Gray-cheeked, 193.
Hermit, 194, 232, 371, 505.
Hopping, 283.
Northern Varied, 452.
Olive-backed, 194.
Rock, 284.
Russet-backed, 305.
Varied, 305.
Veery, 109, 193, 237.
Wood, 193, 331.
Thryomanes albinucha, 169.
bewicki bewicki, 192.
Thryothorus ludovicianus ludovici-
anus, 192, 238.
Titmouse, Tufted, 3, 10, 163, 193,
331.
Tityra semifasciata deses, 529.
s. personata, 168.
Totanus flavipes, 464.
melanoleucus, 464.
Towhee, 27.
Townsend, Charles W., notes on the
Rock Dove (*Columba domestica*),
306-316.
Toxorhamphus, 129.

- Toxostoma rufum*, 192, 232, 370, 500.
Tragopan blythi molesworthi, 125.
caboti, 170.
Triptorhinus paradoxus, 408.
Trichalopterum erythrolama woodi, 125.
Tringa canutus, 464.
nebularia, 281.
 Trinidad Islet, birds of, 332-348.
Trochalopterum erythrocephalum woodi, 263.
Trochilus yucatanensis, 169.
Troglodytes aëdon aëdon, 192.
albinucha, 169.
Tryngites subruficollis, 226, 500.
Turdus migratorius phillipsi, 529.
ugandæ, 524.
 Turkey, Florida, 4-6, 160.
 Wild, 61-81, 115, 207-224, 322, 348-366.
Turnagra capensis minor, 529.
 Turnstone, Black, 465.
 Ruddy, 465.
Turtur turtur, 281.
 Tyler, W. M., the Cape May Warbler in eastern Massachusetts, 104; simultaneous action of birds; a suggestion, 198-203.
Tympanuchus americanus atwateri, 322.
lulli, 375.
Tyrannus tyrannus, 18, 448.
verticalis, 18, 495.
Tyto manusi, 129.

 UPUCERTHIA, 148, 149.
juninensis, 125.
Uragus sibiricus ussuriensis, 527.
Uria troile californica, 299, 461.
Urosticte benjamini rostrata, 382.
Urubituiga anthracina, 167.

 VENILIORNIS *tanionotus cearæ*, 516.
 Verdin, San Lucas, 106.

Vermivora bachmani, 186.
chrysoptera, 186, 504.
celata celata, 230, 448, 504.
c. lutescens, 305.
peregrina, 105, 187, 448.
pinus, 186.
 Vireo, Blue-headed, 163, 185.
 Key West, 10.
 Philadelphia, 185.
 Red-eyed, 185, 232, 448.
 Warbling, 185.
 Western Warbling, 455.
 White-eyed, 163, 185.
 Yellow-throated, 185.
Vireo griseus griseus, 185.
Vireosylva gilva gilva, 185.
olivacea, 185, 232, 448.
philadelphica, 185, 447.
g. swainsoni, 455.
gracilirostris, 50.
 Virginia, birds of, 75, 367.

 WAGTAIL, Black-headed, 286.
 Blue-headed, 286.
 White, 286.
 Wallace, John H. Jr., notice of his 'Alabama Bird Day Book,' 377.
 Warbler, Bachman's, 186.
 Barred, 285.
 Bay-breasted, 188, 230.
 Black and white, 183, 232, 449, 465.
 Blackpoll, 188, 232, 449.
 Black-throated Blue, 109, 187, 232, 498.
 Black-throated Green, 109, 189.
 Blackburnian, 188, 230.
 Blue-winged, 186.
 Bonelli's, 285.
 Canadian, 109, 191.
 Cape May, 104, 105, 106, 187, 231, 233, 234, 498.
 Cerulean, 188.
 Chestnut-sided, 188.
 Connecticut, 190, 504.
 Golden-winged, 186, 504.

- Warbler, Hooded, 191.
Kentucky, 190.
Lutescent, 305.
Magnolia, 109, 188, 232.
Mourning, 190, 505.
Myrtle, 2, 187, 448.
Northern Parula, 187.
Olivaceous, 285.
Orange-crowned, 504.
Orphean, 285.
Palm, 189, 230.
Pine, 2, 160, 189, 498, 504.
Prairie, 189, 465.
Prothonotary, 186, 370, 503.
Reed, 284.
River, 284.
Rufous, 284.
Ruppells, 285.
Swainson's, 186.
Sycamore, 189.
Tennessee, 104, 106, 187, 449.
Upscher's, 285.
Wilson's, 191.
Worm-eating, 186.
Yellow, 187.
Yellow Palm, 186.
Washington, birds of, 225, 459-465.
Water-Thrush, 190.
Louisiana, 190.
Waxwing, Bohemian, 369.
Cedar, 184, 232.
Weber, J. A., the Puffin (*Fratercula arctica arctica*) on Long Island, N. Y., 495; numerous migrant Pine Warblers at Fort Lee, N. J., 498.
Weston, Francis M., Jr., some unusual breeding records from South Carolina, 108.
Wetmore, Alexander, review of his 'A Peculiarity in the Growth of the Tail Feathers of the Giant Hornbill (*Rhinoplax vigil*)', 113; notice of his 'Mortality among Waterfowl around Great Salt Lake, Utah,' 518.
Wheatear, 194, 284.
Isabelline, 284.
Black-throated, 284.
Whimbrel, 226.
Whip-poor-will, 15, 159.
White, S. A., review of his 'Scientific Notes on an Expedition into the Interior of Australia,' 376.
White-throat, Eastern, 285.
Lesser, 285.
Widgeon, European, 225, 367, 462.
Willet, Western, 464.
Willett, George, summer birds of Forrester Island, Alaska, 295-305.
Williamson, E. B., actions of the Red-shouldered Hawk, 100.
'Wilson Bulletin,' review of, 124, 256, 379, 522.
Wilsonia canadensis, 109, 191.
citrina, 191.
pusilla pusilla, 191, 447.
Wing, DeWitt C., Robins' nests, 106.
Wisconsin, birds of, 101, 106, 237, 348, 497.
Woodcock, 108, 464.
Woodpecker, Arctic Three-toed, 503.
Woodpecker, Downy, 160.
Ivory-billed, 1-14.
Lewis's, 229, 371.
Northern Pileated, 109, 238.
Pileated, 2, 3, 5, 10, 11, 13, 14, 163.
Red-bellied, 2, 3, 10, 11, 13, 160, 238.
Red-cockaded, 2, 324.
Red-headed, 10, 237, 324.
Wren, 283.
Bewick's, 192.
Carolina, 4, 192, 238.
House, 192.
Long-billed Marsh, 192.
Prairie Marsh, 99.
Rock, 234.
Short-billed Marsh, 234.

- Wren, Western Winter, 305.
Winter, 109, 192.
- Wright, Albert Hazen, early records
of the Wild Turkey, 61-81, 207-
224, 348-366.
- Wright, Horace W., morning awak-
ening notes at Jefferson Highland.
N. H., 240.
- Wyman, L. E., Richardson's Owl
in Illinois, 101.
- XANTHOCEPHALUS xanthocephalus,
21, 107, 457.
- Xanthotis chlorolema, 260.
melanolema, 260.
- Xema sabini, 454.
- Xenicopsis, 147.
- Xenops, 147, 150.
- Xiphocolaptes, 147.
- YELLOW-LEGS, 464.
Greater, 464.
- Yellow-throat, Florida, 159, 190,
310.
Maryland, 190, 330.
- ZAMELODIA ludoviciana, 27, 445,
447.
- Zenaida auriculata, 49.
noronha, 49.
maculata, 49.
- Zenaidura macroura carolinensis,
238.
m. marginella, 322.
m. tresmariae, 529.
ruficauda robinsoni, 529.
- Zonotrichia albicollis, 26, 107, 232,
237, 241, 447-502.
leucophrys gambeli, 457.
l. leucophrys, 26.
- Zosterops japonica insularis, 530.
setschuana, 260.
stenocricota
poensis, 258.

ERRATA.

- Page 95, line 36, for *dilophus* read *auritus*.
" 100, " 19, for **Red-tailed** read **Red-shouldered**.
" 185, " 15, for *philadelphia* read *philadelphica*.
" 375, " 29, for *alphildae* read *alfhildae*.

DATES OF ISSUE.

- Vol. XXXI, No. 4 — September 30, 1914.
" XXXII, No. 1 — January 1, 1915.
" XXXII, No. 2 — April 1, 1915.
" XXXII, No. 3 — June 29, 1915.

